


No.

200600035



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Holden's Foundation Seeds D. C.

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THEREOF IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE FOREGOING PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'LH381'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this twenty-ninth day of April, in the year two thousand and eight.

Attest

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service


Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE
(Instructions and information collection burden statement on reverse)

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF OWNER Holden's Foundation Seeds L.L.C.		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NAME None		3. VARIETY NAME LH381	
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country) 8350 Minnegan Road Waterman, IL 60556 U.S.A.		5. TELEPHONE (include area code) (815) 758-9281		FOR OFFICIAL USE ONLY PVPO NUMBER 200600035 FILING DATE Nov. 21, 2005	
		6. FAX (include area code) (815) 758-3117			
7. IF THE OWNER NAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION (corporation, partnership, association, etc.) Corporation		8. IF INCORPORATED, GIVE STATE OF INCORPORATION Delaware		9. DATE OF INCORPORATION August 27, 1999	
10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S) TO SERVE IN THIS APPLICATION. (First person listed will receive all papers)				FILING AND EXAMINATION FEES: \$4382.00 DATE 11/21/05 CERTIFICATION FEE: \$768.00 DATE 4/15/08	
Timothy R. Kain 8350 Minnegan Road Waterman, IL 60556					
11. TELEPHONE (include area code) (815) 758-9281		12. FAX (include area code) (815) 758-3117		13. E-MAIL trkain@monsanto.com	
14. CROP KIND (Common Name) Corn, Field		15. GENUS AND SPECIES NAME OF CROP Zea mays			
16. FAMILY NAME (Botanical) Graminae		17. IS THE VARIETY A FIRST GENERATION HYBRID? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO			
18. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow instructions on reverse)		19. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE SOLD AS A CLASS OF CERTIFIED SEED? See Section 83(a) of the Plant Variety Protection Act			
a. <input checked="" type="checkbox"/> Exhibit A. Origin and Breeding History of the Variety b. <input checked="" type="checkbox"/> Exhibit B. Statement of Distinctness c. <input checked="" type="checkbox"/> Exhibit C. Objective Description of Variety d. <input type="checkbox"/> Exhibit D. Additional Description of the Variety (Optional) e. <input checked="" type="checkbox"/> Exhibit E. Statement of the Basis of the Owner's Ownership f. <input checked="" type="checkbox"/> Voucher Sample (2,500 viable untreated seeds or, for tuber propagated varieties, verification that tissue culture will be deposited and maintained in an approved public repository) g. <input checked="" type="checkbox"/> Filing and Examination Fee (\$3,652), made payable to "Treasurer of the United States" (Mail to the Plant Variety Protection Office)		<input type="checkbox"/> YES (If "yes", answer items 20 and 21 below) <input checked="" type="checkbox"/> NO (If "no", go to item 22) 20. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF CLASSES? <input type="checkbox"/> YES <input type="checkbox"/> NO IF YES, WHICH CLASSES? <input type="checkbox"/> FOUNDATION <input type="checkbox"/> REGISTERED <input type="checkbox"/> CERTIFIED 21. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? <input type="checkbox"/> YES <input type="checkbox"/> NO IF YES, SPECIFY THE NUMBER 1,2,3, etc. FOR EACH CLASS. <input type="checkbox"/> FOUNDATION <input type="checkbox"/> REGISTERED <input type="checkbox"/> CERTIFIED (If additional explanation is necessary, please use the space indicated on the reverse.)			
22. HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRID PRODUCED FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR USED IN THE U. S. OR OTHER COUNTRIES? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.)		23. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED REFERENCE NUMBER. (Please use space indicated on reverse.)			
24. The owners declare that a viable sample of basic seed of the variety has been furnished with application and will be replenished upon request in accordance with such regulations as may be applicable, or for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the duration of the certificate. The undersigned owner(s) is(are) the owner of this sexually reproduced or tuber propagated plant variety, and believe(s) that the variety is new, distinct, uniform, and stable as required in Section 42, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act. Owner(s) is(are) informed that false representation herein can jeopardize protection and result in penalties.					
SIGNATURE OF OWNER 		SIGNATURE OF OWNER			
NAME (Please print or type) Timothy R. Kain		NAME (Please print or type)			
CAPACITY OR TITLE Patent Scientist		DATE 11/17/05		CAPACITY OR TITLE DATE	

INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), **ALL** of the following items must be **received** in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (*in the sense that it will reproduce an entire plant*) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfilled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. **DO NOT** use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office

Telephone: (301) 504-5518

FAX: (301) 504-5291

Homepage: <http://www.ams.usda.gov/science/pvpo/pvp.htm>

ITEM

- 18a. Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
(2) the details of subsequent stages of selection and multiplication;
(3) evidence of uniformity and stability; and
(4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
(1) identify these varieties and state all differences objectively;
(2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
(3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
19. If "Yes" is specified (*seed of this variety be sold by variety name only, as a class of certified seed*), the applicant **MAY NOT** reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.

21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Sold in U.S. – December 2004

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center--East, Beltsville, MD 20705. Telephone: (301) 504-8089. <http://www.ams.usda.gov/lsg/seed.htm>

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 3.0 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

ST-470 (02-10-2003) designed by the Plant Variety Protection Office with Word 2000. Replaces former versions of ST-470, which are obsolete.

EXHIBIT AOrigin and Breeding History
LH381

LH381 was developed from the cross of (LH224 x LH235) x LH198 by selfing and using the conventional ear-to-row system of plant breeding. Yield, stalk quality, root quality, disease tolerance, late plant greenness, late plant intactness, ear retention, pollen shedding ability, silking ability and corn borer tolerance were the criteria used to determine the rows from which ears were selected during the development of LH381.

LH224, LH235 and LH198, the progenitors of LH381, are proprietary field corn inbred lines of Holden's Foundation Seeds, L.L.C..

Summer 1995	The inbred line LH224 (a proprietary Holden's inbred) was crossed to the inbred line LH235 (a proprietary Holden's inbred) in Iowa Field/Row 62156.
Summer 1997	The S0 seed was grown and crossed to inbred line LH198 in nursery row 1891 in Iowa.
Summer 1998	S1 ears were grown ear-to-row and self-pollinated in nursery range/row 4568 in Indiana.
Summer 1999	S2 ears were grown ear-to-row and self-pollinated in nursery row 7137 at Indiana.
Summer 2000	S3 ears were grown ear-to-row and self-pollinated in Indiana in nursery row 8710.
Summer 2001	S4 ears were grown ear-to-row and self-pollinated in nursery row 7790 at Indiana.
Winter 2001-2002	S5 ears were grown ear-to-row and self-pollinated in nursery row 8056 at Mexico.
Summer 2002	S6 ears were grown ear-to-row and self-pollinated in nursery row 15061 at Indiana.
Summer 2003	S7 ears were grown ear-to-row and self-pollinated in nursery row 13302 at Indiana.
Summer 2004	S8 ears were grown ear-to-row and self-pollinated in Iowa nursery row 78350-78361.
Winter 2004-2005	S9 ears were grown ear-to-row and self-pollinated and final selection made in Hawaii nursery row/field #0AOP2A31. Line coded LH381.

EXHIBIT A
(cont'd)Statement of Stability and Uniformity

LH381 has shown uniformity and stability for all traits described in Exhibit C. It has been self-pollinated and ear-rowed for three generations, with careful attention to uniformity of plant type to ensure homozygosity and phenotypic stability.

Statement of Variants

The line is stable, uniform and no variant traits have been observed or are anticipated in LH381.

EXHIBIT B
(revised)

Statement of Distinctness

Holden's Foundation Seeds L.L.C. believes that Corn Variety LH381 is most similar to Corn Variety LH198, an inbred developed by Holden's Foundation Seeds L.L.C.

Corn Variety LH381 differ from Corn Variety LH198 at the following traits:

Variety	Silk Color
LH381	Pink (2.5 R 7/6)
LH198	Light Green (2.5 GY 8/8)

(See photographs)

2005

Variety	Cob Diameter (mm)
LH381	21.4 (Std Dev = 1.1, N= 10)
LH198	35.4 (Std Dev = 1.2, N= 10)
P_Val	0.000
Signif.	**

2006

Variety	Cob Diameter (mm)
LH381	24.7 (Std Dev = 3.0, N=10)
LH198	31.4 Std Dev = 1.8 , N=10)
P_Val	0.000
Signif.	**

Significance levels are indicated as: + = 10%, * = 5 %, ** = 1%

Corn variety LH381 has a smaller cob diameter and pink silk color while comparative corn variety LH198 has a larger cob diameter and light green silk color.

EXHIBIT B
(cont'd)

Description of Experimental Design


The corn varieties LH381, LH198 and CM105 were grown at the Waterman, IL observation nursery in years 2005-2006. The varieties were planted in 2 row plots with 15 plants per row in each of the three years. Trait data were collected on 10 random representative plants for most traits from each 2 row plot. Data on qualitative traits are usually collected on 10 plants from each 2 row plot. For Exhibit C all data were pooled and reported as means across the years for subject variety and the standard variety with standard deviation. The varieties are randomly planted in a 4.5 acre observation nursery which is located within a larger 18 acre field. Besides the observation nursery, this field consists of a research seed increase nursery and an IP seed inventory nursery. The location of each of these individual nurseries is rotated each year to a different location within the 18 acre field. Therefore subject inbreds are not planted adjacent to comparative or standard varieties and may be located in different areas of the larger field each year, therefore being influenced by spacial differences within the field. Growing conditions within the field are not uniform as there are some slight topographical variations such as lower areas which may accumulate and retain water or higher areas which are usually drier. The field is tiled and therefore a variety maybe planted close to a tile line while a comparative variety maybe planted further away and in a low spot within the field. Temporal varieties can exist as weather conditions from year to year can vary as well as planting dates can vary from year to year based on weather conditions. Weather conditions each year can vary the maturity rate of the varieties due to either favorable or unfavorable growing conditions.

Trait variability is not observed for each variety within its own test plot-plants are usually uniform and data are collected on the "most" representative plants- variability occurs due to spacial location of the test plot for that variety from year to year and to the temporal variation of weather conditions from year to year during the 2-3 years data are collected.

Waterman Research Station
Weather Data 2005-2006

Date	Average Precip. (mm)	Ave. Monthly Temp – Max. (F°)	Ave. Monthly Temp-Min (F°)	Ave. Monthly Rel. Humid.- Max (%)	Ave. Monthly Rel. Humid – Min (%)
June 2005	0.9	84.7	61.3	89.8	41.7
July 2005	2.0	84.9	61.7	93.4	44.7
August 2005	2.5	82.6	60.4	94.9	50.0
Sept 2005	1.8	79.9	55.0	94.3	44.3
June 2006	2.7	78.4	56.7	89.8	45.9
July 2006	2.3	84.2	64.6	93.5	55.4
August 2006	2.1	87.2	67.5	94.7	57.1
Sept 2006	1.6	80.0	61.6	90.1	50.8

LH381



LH198

United States Department of Agriculture, Agricultural Marketing Service
Science and Technology, Plant Variety Protection Office
National Agricultural Library Building, Room 400
Beltsville, MD 20705-2351

OBJECTIVE DESCRIPTION OF VARIETY
CORN (*Zea mays* L.)

Name of Applicant(s) Holden's Foundation Seed L.L.C.	Variety Seed Source	Variety Name or Temporary Designation <p style="text-align: center;">LH381</p>																																							
Address (Street & No., or R.F.D. No., City, State, Zip Code and Country) 8350 Minnegan Road, Waterman, IL 60556		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%; text-align: center;">FOR OFFICIAL USE</td> <td style="width:40%; text-align: center;">PVPO Number</td> </tr> <tr> <td colspan="2" style="text-align: center; height: 40px; vertical-align: middle;"> <div style="font-size: 24px; font-family: cursive;">200600035</div> </td> </tr> </table>	FOR OFFICIAL USE	PVPO Number	<div style="font-size: 24px; font-family: cursive;">200600035</div>																																				
FOR OFFICIAL USE	PVPO Number																																								
<div style="font-size: 24px; font-family: cursive;">200600035</div>																																									
Place the appropriate number that describes the varietal characters typical of this inbred variety in the spaces below. Right justify whole numbers by adding leading zeroes if necessary. Completeness should be striven for to establish an adequate variety description.																																									
COLOR CHOICES (Use in conjunction with Munsell color code to describe all color choices; describe #25 and #26 in Comments section): <table style="width:100%; font-size: 10px;"> <tr> <td>01=Light Green</td> <td>06=Pale Yellow</td> <td>11=Pink</td> <td>16=Pale Purple</td> <td>21=Buff</td> </tr> <tr> <td>02=Medium Green</td> <td>07=Yellow</td> <td>12=Light Red</td> <td>17=Purple</td> <td>22=Tan</td> </tr> <tr> <td>03=Dark Green</td> <td>08=Yellow-Orange</td> <td>13=Cherry Red</td> <td>18=Colorless</td> <td>23=Brown</td> </tr> <tr> <td>04=Very Dark Green</td> <td>09=Salmon</td> <td>14=Red</td> <td>19=White</td> <td>24=Bronze</td> </tr> <tr> <td>05=Green-Yellow</td> <td>10=Pink-Orange</td> <td>15=Red & White</td> <td>20=White Capped</td> <td>25=Variegated (Describe)</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>26=Other (Describe)</td> </tr> </table>			01=Light Green	06=Pale Yellow	11=Pink	16=Pale Purple	21=Buff	02=Medium Green	07=Yellow	12=Light Red	17=Purple	22=Tan	03=Dark Green	08=Yellow-Orange	13=Cherry Red	18=Colorless	23=Brown	04=Very Dark Green	09=Salmon	14=Red	19=White	24=Bronze	05=Green-Yellow	10=Pink-Orange	15=Red & White	20=White Capped	25=Variegated (Describe)					26=Other (Describe)									
01=Light Green	06=Pale Yellow	11=Pink	16=Pale Purple	21=Buff																																					
02=Medium Green	07=Yellow	12=Light Red	17=Purple	22=Tan																																					
03=Dark Green	08=Yellow-Orange	13=Cherry Red	18=Colorless	23=Brown																																					
04=Very Dark Green	09=Salmon	14=Red	19=White	24=Bronze																																					
05=Green-Yellow	10=Pink-Orange	15=Red & White	20=White Capped	25=Variegated (Describe)																																					
				26=Other (Describe)																																					
STANDARD INBRED CHOICES (Use the most similar (in background and maturity) of these to make comparisons based on grow-out trial data): <table style="width:100%; font-size: 10px;"> <tr> <td style="width:33%; vertical-align: top;"> Yellow Dent Families: Family Members B14 CM105, A632, B64, B68 B37 B37, B76, H84 B73 N192, A679, B73, NC268 C103 Mo17, Va102, Va35, A682 Oh43 A619, MS71, H99, Va26 WF9 W64A, A554, A654, Pa91 </td> <td style="width:33%; vertical-align: top;"> Yellow Dent (Unrelated): Co109, ND246, Oh7, T232 W117, W153R W182BN White Dent: CI66, H105, Ky228 </td> <td style="width:33%; vertical-align: top;"> Sweet Corn: C13, Iowa5125, P39, 2132 Popcorn: SG1533, 4722, HP301, HP7211 Pipecorn: Mo15W, Mo16W, Mo24W </td> </tr> </table>			Yellow Dent Families: Family Members B14 CM105, A632, B64, B68 B37 B37, B76, H84 B73 N192, A679, B73, NC268 C103 Mo17, Va102, Va35, A682 Oh43 A619, MS71, H99, Va26 WF9 W64A, A554, A654, Pa91	Yellow Dent (Unrelated): Co109, ND246, Oh7, T232 W117, W153R W182BN White Dent: CI66, H105, Ky228	Sweet Corn: C13, Iowa5125, P39, 2132 Popcorn: SG1533, 4722, HP301, HP7211 Pipecorn: Mo15W, Mo16W, Mo24W																																				
Yellow Dent Families: Family Members B14 CM105, A632, B64, B68 B37 B37, B76, H84 B73 N192, A679, B73, NC268 C103 Mo17, Va102, Va35, A682 Oh43 A619, MS71, H99, Va26 WF9 W64A, A554, A654, Pa91	Yellow Dent (Unrelated): Co109, ND246, Oh7, T232 W117, W153R W182BN White Dent: CI66, H105, Ky228	Sweet Corn: C13, Iowa5125, P39, 2132 Popcorn: SG1533, 4722, HP301, HP7211 Pipecorn: Mo15W, Mo16W, Mo24W																																							
1. TYPE: (describe intermediate types in Comments section) 2 1=Sweet 2=Dent 3=Flint 4=Flour 5=Pop 6=Ornamental 7=Pipecorn		Standard Inbred Name CM105 2 Type																																							
2. REGION WHERE DEVELOPED IN THE U.S.A.: 2 1=Northwest 2=North central 3=Northeast 4=Southeast 5=South central 6=Southwest 7=Other		Standard Seed Source _____ 2 Region																																							
3. MATURITY (In Region Best Adaptability; show Heat Unit formula in "Comments" section): <table style="width:100%; font-size: 10px;"> <tr> <th style="width:20%;">DAYS</th> <th style="width:20%;">HEAT UNITS</th> <th style="width:60%;"></th> </tr> <tr> <td>82</td> <td>1588.0</td> <td>From emergence to 50% of plants in silk</td> </tr> <tr> <td>79</td> <td>1480.0</td> <td>From emergence to 50% of plants in pollen</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>From 10% to 90% pollen shed</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>From 50% silk to optimum edible quality</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>From 50% silk to harvest at 25% moisture</td> </tr> </table>		DAYS	HEAT UNITS		82	1588.0	From emergence to 50% of plants in silk	79	1480.0	From emergence to 50% of plants in pollen	_____	_____	From 10% to 90% pollen shed	_____	_____	From 50% silk to optimum edible quality	_____	_____	From 50% silk to harvest at 25% moisture	<table style="width:100%; font-size: 10px;"> <tr> <th style="width:20%;">DAYS</th> <th style="width:20%;">HEAT UNITS</th> </tr> <tr> <td>68</td> <td>1400.5</td> </tr> <tr> <td>64</td> <td>1292.5</td> </tr> <tr> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> </tr> </table>	DAYS	HEAT UNITS	68	1400.5	64	1292.5	_____	_____	_____	_____	_____	_____									
DAYS	HEAT UNITS																																								
82	1588.0	From emergence to 50% of plants in silk																																							
79	1480.0	From emergence to 50% of plants in pollen																																							
_____	_____	From 10% to 90% pollen shed																																							
_____	_____	From 50% silk to optimum edible quality																																							
_____	_____	From 50% silk to harvest at 25% moisture																																							
DAYS	HEAT UNITS																																								
68	1400.5																																								
64	1292.5																																								
_____	_____																																								
_____	_____																																								
_____	_____																																								
4. PLANT: <table style="width:100%; font-size: 10px;"> <tr> <th style="width:40%;"></th> <th style="width:20%;">Standard Deviation</th> <th style="width:20%;">Sample Size</th> </tr> <tr> <td>222.6 cm Plant Height (to tassel tip)</td> <td>20.7</td> <td>30</td> </tr> <tr> <td>77.9 cm Ear Height (to base of top ear node)</td> <td>12.3</td> <td>30</td> </tr> <tr> <td>12.8 cm Length of Top Ear Internode</td> <td>1.6</td> <td>30</td> </tr> <tr> <td>_____ Average Number of Tillers</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>1.0 Average Number of Ears per Stalk</td> <td>0.0</td> <td>30</td> </tr> </table>			Standard Deviation	Sample Size	222.6 cm Plant Height (to tassel tip)	20.7	30	77.9 cm Ear Height (to base of top ear node)	12.3	30	12.8 cm Length of Top Ear Internode	1.6	30	_____ Average Number of Tillers	_____	_____	1.0 Average Number of Ears per Stalk	0.0	30	<table style="width:100%; font-size: 10px;"> <tr> <th style="width:20%;">Mean</th> <th style="width:20%;">Standard Deviation</th> <th style="width:20%;">Sample Size</th> </tr> <tr> <td>160.5</td> <td>24.6</td> <td>30</td> </tr> <tr> <td>49.4</td> <td>12.0</td> <td>30</td> </tr> <tr> <td>11.7</td> <td>2.0</td> <td>30</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>1.0</td> <td>0.1</td> <td>15</td> </tr> <tr> <td>2</td> <td></td> <td></td> </tr> </table>	Mean	Standard Deviation	Sample Size	160.5	24.6	30	49.4	12.0	30	11.7	2.0	30	_____	_____	_____	1.0	0.1	15	2		
	Standard Deviation	Sample Size																																							
222.6 cm Plant Height (to tassel tip)	20.7	30																																							
77.9 cm Ear Height (to base of top ear node)	12.3	30																																							
12.8 cm Length of Top Ear Internode	1.6	30																																							
_____ Average Number of Tillers	_____	_____																																							
1.0 Average Number of Ears per Stalk	0.0	30																																							
Mean	Standard Deviation	Sample Size																																							
160.5	24.6	30																																							
49.4	12.0	30																																							
11.7	2.0	30																																							
_____	_____	_____																																							
1.0	0.1	15																																							
2																																									
2 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark		2																																							
Application Variety Data		Standard Inbred Data																																							

200600035

Application Variety Data			Page 2		Standard Inbred Data		
5. LEAF:			Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
8 . 2	cm Width of Ear Node Leaf		1.2	30	7 . 1	0.7	30
7 7. 3	cm Length of Ear Node Leaf		6.8	30	6 6. 7	9.6	30
6 . 7	Number of leaves above top ear		0.7	30	5 . 7	0.6	15
1 5. 8	degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf)		5.2	30	4 7. 8	7.0	30
0 2	Leaf Color (Munsell code 5 GY 4/8)				0 2 (Munsell code 5 GY 4/8)		
2	Leaf Sheath Pubescence (Rate on scale from 1=none to 9=like peach fuzz)				2		
6	Marginal Waves (Rate on scale from 1=none to 9=many)				6		
7	Longitudinal Creases (Rate on scale from 1=none to 9=many)				5		
6. TASSEL:			Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
7 . 4	Number of Primary Lateral Branches		1.3	30	5 . 3	1.2	30
2 1. 2	Branch Angle from Central Spike		8.1	30	3 3. 2	9.0	30
3 9. 4	cm Tassel Length (from top leaf collar to tassel tip)		4.2	30	3 4. 4	2.6	30
4.9	Pollen Shed (Rate on scale from 0=male sterile to 9=heavy shed)				6.2		
0 9	Anther Color (Munsell code 10 R 7/8)				0 7 (Munsell code 2.5 Y 8/10)		
1 4	Glume Color (Munsell code 2.5 R 5/8)				1 2 (Munsell code 2.5 R 5/8)		
1	Bar Glumes (Glume Bands): 1=Absent 2=Present				1		
7a. EAR (Unhusked Data):							
1 1	Silk Color (3 days after emergence) (Munsell code 2.5 R 7/6)				0 7 (Munsell code 2.5 Y 8/10)		
0 2	Fresh Husk Color (25 days after 50% silking) (Munsell code 5 GY 4/8)				0 2 (Munsell code 5 GY 4/8)		
2 1	Dry Husk Color (65 days after 50% Silking) (Munsell code 2.5 Y 8/4)				2 1 (Munsell code 2.5 Y 8/4)		
1	Position of Ear at Dry Husk Stage: 1=Upright 2=Horizontal 3=Pendent				1		
9	Husk Tightness (Rate on scale from 1=very loose to 9=very tight)				9		
1	Husk Extension (at harvest): 1=Short (ears exposed) 2=Medium (<8 cm) 3=Long (8-10 cm beyond ear tip) 4=Very Long (>10 cm)				1		
7b. EAR (Husked Ear Data):			Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
1 4. 7	cm Ear Length		1.7	30	1 4. 0	1.6	30
3 9. 4	mm Ear Diameter at mid-point		2.7	30	3 8. 0	1.4	15
9 4.6	gm Ear Weight		3.2	30	7 3. 2	1.9	15
1 3.6	Number of Kernel Rows		1.0	30	1 3. 9	0.9	15
2	Kernel Rows: 1=Indistinct 2=Distinct				2		
1	Row Alignment: 1=Straight 2=Slightly Curved 3=Spiral				1		
7. 1	cm Shank Length		2.1	30	6. 8	2.0	15
2	Ear Taper: 1=Slight 2=Average 3=Extreme				2		
Application Variety Data			Standard Inbred Data				
Note: Use chart on first page to choose color codes for color traits.							

Application Variety Data			Page 3	Standard Inbred Data			
8. KERNEL (Dried):			Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
1 0.4	mm Kernel Length		0.5	30	0 9.2	1.0	15
8.5	mm Kernel Width		0.4	30	0 8.2	0.6	15
4.4	mm Kernel Thickness		0.7	30	0 5.1	1.2	15
4 8.6	% Round Kernels (Shape Grade)		3.3	500g	5 6.8	2.6	500g
1	Aleurone Color Pattern: 1=Homozygous 2=Segregating (describe)				1		
1 9	Aleurone Color (Munsell code Lighter than 2.5 Y 9/2)				1 9	(Munsell code Lighter Than 2.5 Y 9/2)	
0 7	Hard Endosperm Color (Munsell code 7.5 YR 7/8)				0 7	(Munsell code 2.5 Y 8/8)	
3	Endosperm Type: 1=Sweet (su1) 2=Extra Sweet (sh2) 3=Normal Starch 4=High Amylose Starch 5=Waxy Starch 6=High Protein 7=High Lysine 8=Super Sweet (se) 9=High Oil 10=Other _____				0 3		
2 8.8	gm Weight per 100 Kernels (unsized sample)		2.2	1575 seeds	2 2.5	2.6	2000 seeds
9. COB:			Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
2 3.4	mm Cob Diameter at mid-point		1.8	30	2 6.2	1.3	15
1 1	Cob Color (Munsell code 5 R 6/6)				1 4	(Munsell code 5 R 4/10)	
10. DISEASE RESISTANCE (Rate from 1 (most susceptible) to 9 (most resistant); leave blank if not tested; leave Race or Strain Options blank if polygenic):							
A. Leaf Blights, Wilts, and Local Infection Diseases							
<input type="checkbox"/> Anthracnose Leaf Blight (<i>Colletotrichum graminicola</i>) <input type="checkbox"/> Common Rust (<i>Puccinia sorghi</i>) <input type="checkbox"/> Common Smut (<i>Ustilago maydis</i>) <input type="checkbox"/> Eyespot (<i>Kabatiella zeae</i>) <input type="checkbox"/> Goss's Wilt (<i>Clavibacter michiganense</i> spp. <i>nebraskense</i>) <input type="checkbox"/> Gray Leaf Spot (<i>Cercospora zeae-maydis</i>) <input type="checkbox"/> Helminthosporium Leaf Spot (<i>Bipolaris zeicola</i>)..... Race _____ <input type="checkbox"/> Northern Leaf Blight (<i>Exserohilum turcicum</i>)..... Race _____ <input type="checkbox"/> Southern Leaf Blight (<i>Bipolaris maydis</i>)..... Race _____ <input type="checkbox"/> Southern Rust (<i>Puccinia polysora</i>) <input type="checkbox"/> Stewart's Wilt (<i>Erwinia stewartii</i>) <input type="checkbox"/> Other (Specify) _____				7 Anthracnose Leaf Blight <input type="checkbox"/> Common Rust <input type="checkbox"/> Common Smut 6 Eyespot 5 Goss's Wilt 4 Gray Leaf Spot 8 Helminthosporium Leaf Spot..... Race 2 3 Northern Leaf Blight Race 1 6 Southern Leaf Blight Race O <input type="checkbox"/> Southern Rust 4 Stewart's Wilt <input type="checkbox"/> Other (Specify) _____			
B. Systemic Diseases							
<input type="checkbox"/> Corn Lethal Necrosis (MCMV and MDMV) <input type="checkbox"/> Head Smut (<i>Sphacelotheca reiliana</i>) <input type="checkbox"/> Maize Chlorotic Dwarf Virus (MCDV) <input type="checkbox"/> Maize Chlorotic Mottle Virus (MCMV) <input type="checkbox"/> Maize Dwarf Mosaic Virus (MDMV)..... Strain _____ <input type="checkbox"/> Sorghum Downy Mildew of Corn (<i>Peronosclerospora sorghi</i>) <input type="checkbox"/> Other (Specify) _____				<input type="checkbox"/> Corn Lethal Necrosis <input type="checkbox"/> Head Smut <input type="checkbox"/> Maize Chlorotic Dwarf Virus <input type="checkbox"/> Maize Chlorotic Mottle Virus <input type="checkbox"/> Maize Dwarf Mosaic Virus Strain _____ <input type="checkbox"/> Sorghum Downy Mildew of Corn <input type="checkbox"/> Other (Specify) _____			
C. Stalk Rots							
<input type="checkbox"/> Anthracnose Stalk Rot (<i>Colletotrichum graminicola</i>) <input type="checkbox"/> Diplodia Stalk Rot (<i>Stenocarpella maydis</i>) <input type="checkbox"/> Fusarium Stalk Rot (<i>Fusarium moniliforme</i>) <input type="checkbox"/> Gibberella Stalk Rot (<i>Gibberella zeae</i>) <input type="checkbox"/> Other (Specify) _____				<input type="checkbox"/> Anthracnose Stalk Rot <input type="checkbox"/> Diplodia Stalk Rot <input type="checkbox"/> Fusarium Stalk Rot <input type="checkbox"/> Gibberella Stalk Rot <input type="checkbox"/> Other (Specify) _____			
D. Ear and Kernel Rots							
<input type="checkbox"/> Aspergillus Ear and Kernel Rot (<i>Aspergillus flavus</i>) <input type="checkbox"/> Diplodia Ear Rot (<i>Stenocarpella maydis</i>) <input type="checkbox"/> Fusarium Ear and Kernel Rot (<i>Fusarium moniliforme</i>) <input type="checkbox"/> Gibberella Ear Rot (<i>Gibberella zeae</i>) <input type="checkbox"/> Other (Specify) _____				<input type="checkbox"/> Aspergillus Ear & Kernel Rot <input type="checkbox"/> Diplodia Ear Rot <input type="checkbox"/> Fusarium Ear & Kernel Rot <input type="checkbox"/> Gibberella Ear Rot <input type="checkbox"/> Other (Specify) _____			
Application Variety Data				Standard Inbred Data			
Note: Use chart on first page to choose color codes for color traits.							

200600035

Application Variety Data	Page 4	Standard Inbred Data
11. INSECT RESISTANCE (Rate from 1 (most susceptible) to 9 (most resistant); leave blank if not tested):		
Standard Deviation	Sample Size	Standard Deviation Sample Size
<input type="checkbox"/> Banks Grass Mite (<i>Oligonychus pratensis</i>)		<input type="checkbox"/> Banks Grass Mite
Corn Earworm (<i>Helioverpa zea</i>)		Corn Earworm
<input type="checkbox"/> Leaf-Feeding		<input type="checkbox"/> Leaf Feeding
<input type="checkbox"/> Silk Feeding : _____ mg larval wt.		<input type="checkbox"/> _____
<input type="checkbox"/> Ear Damage		<input type="checkbox"/> Ear Damage
<input type="checkbox"/> Corn Leaf Aphid (<i>Rhopalosiphum maidis</i>)		<input type="checkbox"/> Corn Leaf Aphid
<input type="checkbox"/> Corn Sap Beetle (<i>Carpophilus dimidiatus</i>)		<input type="checkbox"/> Corn Sap Beetle
European Corn Borer (<i>Ostrinia nubilalis</i>)		European Corn Borer
<input type="checkbox"/> 1st Generation (Typically Whorl Leaf Feeding)		<input type="checkbox"/> 1st Generation
<input type="checkbox"/> 2nd Generation (Typically Leaf Sheath-Collar Feeding)		<input type="checkbox"/> 2nd Generation
<input type="checkbox"/> Stalk Tunneling : _____ cm tunneled/plant		<input type="checkbox"/> _____
Fall Armyworm (<i>Spodoptera frugiperda</i>)		Fall Armyworm
<input type="checkbox"/> Leaf-Feeding		<input type="checkbox"/> Leaf Feeding
<input type="checkbox"/> Silk-Feeding : _____ mg larval wt.		<input type="checkbox"/> _____
<input type="checkbox"/> Maize Weevil (<i>Sitophilus zeamais</i>)		<input type="checkbox"/> Maize Weevil
<input type="checkbox"/> Northern Rootworm (<i>Diabrotica barberi</i>)		<input type="checkbox"/> Northern Rootworm
<input type="checkbox"/> Southern Rootworm (<i>Diabrotica undecimpunctata</i>)		<input type="checkbox"/> Southern Rootworm
Southwestern Corn Borer (<i>Diatraea grandiosella</i>)		Southwestern Corn Borer
<input type="checkbox"/> Leaf Feeding		<input type="checkbox"/> Leaf Feeding
<input type="checkbox"/> Stalk Tunneling : _____ cm tunneled/plant		<input type="checkbox"/> _____
<input type="checkbox"/> Two-spotted Spider Mite (<i>Tetranychus urticae</i>)		<input type="checkbox"/> Two-spotted Spider Mite
<input type="checkbox"/> Western Rootworm (<i>Diabrotica virgifera virgifera</i>)		<input type="checkbox"/> Western Rootworm
<input type="checkbox"/> Other (Specify) _____		<input type="checkbox"/> Other (Specify) _____
12. AGRONOMIC TRAITS:		
5 Stay Green (at 65 days after anthesis) (Rate on a scale from 1=worst to 9=excellent.)		1 Stay Green
0 0 . 0 % Dropped Ears (at 65 days after anthesis)		0 0 . 1 % Dropped ears
0 0 . 0 % Pre-anthesis Brittle Snapping		0 0 . 0 % Pre-anthesis Brittle Snapping
0 0 . 0 % Pre-anthesis Root Lodging		0 0 . 0 % Pre-anthesis Root Lodging
0 0 . 0 % Post-anthesis Root Lodging (at 65 days after anthesis)		0 0 . 0 % Post-anthesis Root Lodging
_____ Kg/ha Yield of Inbred Per Se (at 12-13% grain moisture)		_____ Yield
13. MOLECULAR MARKERS: (0=data unavailable; 1=data available but not supplied; 2=data supplied)		
0 Isozymes	0 RFLP's	0 RAPD's
_____ Other (Specify)		
REFERENCES:		
Butler, D.R. 1954. A System for the Classification of Corn Inbred Lines. PhD Thesis, Ohio State University. Emerson, R.A., G.W. Beadle, and A.C. Fraser. 1935. A Summary of Linkage Studies in Maize. Cornell A.E.S., Mem. 180. Farr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. 1989. Fungi on Plant and Plant Products in the United States. The American Phytopathological Society, St. Paul, MN. Inglett, G.E. (Ed.) 1970. Corn: Culture, Processing, Products. Avi Publishing Company, Westport, CT. Jugenheimer, R.W. 1976. Corn: Improvement, Seed Production, and Uses. John Wiley & Sons, New York. McGee, D.C. 1988. Maize Diseases. APS Press, St. Paul, MN. 150 pp. Munsell Color Chart for Plant Tissues. Macbeth. P.O. Box 230. Newburgh, N.Y. 12551-0230 The Mutants of Maize. 1968. Crop Science Society of America. Madison, WI. Shurtleff, M.C. 1980. Compendium of Corn Diseases. APS Press, St. Paul, MN. 105 pp. Sprague, G.F., and J.W. Dudley (Editors). 1988. Corn and Corn Improvement, Third Edition. Agronomy Monograph 18. ASA, CSSA, SSSA, Madison, WI. Stringfield, G.H. Maize Inbred Lines of Ohio. Ohio A.E.S., Bul. 831. 1959. U.S. Department of Agriculture. 1936, 1937. Yearbook.		
COMMENTS (e.g. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in Exhibit D):		
Heat Unit Calculation: $GU = \frac{\text{Daily Max Temp } (<=86^{\circ}\text{F}) + \text{Daily Min Temp } (>=50^{\circ}\text{F})}{2} - 50^{\circ}\text{F}$		
Supplemental data provided for pollen shed, ear weight, % round kernels and weight per 100 kernels from 2006 production parent test data and 2006 seed inventory data. Supplemental data provided for quantitative traits for subject variety 'LH381' from 2006 and 2007 seed inventory and production parent test data.		

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). The information is held confidential until the certificate is issued (7 U.S.C. 2426).

EXHIBIT E
STATEMENT OF THE BASIS OF OWNERSHIP

1. NAME OF APPLICANT(S) Holden's Foundation Seeds L.L.C.	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME LH381
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country) 8350 Minnegan Road Waterman, IL 60556 U.S.A.	5. TELEPHONE (include area code) (815) 758-9281	6. FAX (include area code) (815) 758-3117
7. PVPO NUMBER		200600035

8. Does the applicant own all rights to the variety? Mark an "X" in the appropriate block. If no, please explain ☒ YES ☐

9. Is the applicant (individual or company) a U.S. National or a U.S. based company? If no, give name of country ☒ YES ☐ NO

10. Is the applicant the original owner? ☒ YES ☐ NO If no, please answer one of the following:

a. If the original rights to variety were owned by individual(s), is (are) the original owner(s) a U.S. National(s)?

☐ YES ☐ NO If no, give name of country

b. If the original rights to variety were owned by a company(ies), is (are) the original owner(s) a U.S. based company?

☐ YES ☐ NO If no, give name of country

11. Additional explanation on ownership (if needed, use the reverse for extra space):

Corn Variety LH381 was originated and developed by a breeder employed by Holden's Foundation Seeds, L.L.C. By agreement between Holden's Foundation Seeds, L.L.C. and the breeder, all rights to any invention, discovery or development are assigned to Holden's Foundation Seeds, L.L.C. No rights to such invention, discovery or development are retained by the breeder.

PLEASE NOTE:

Plant variety protection can only be afforded to the owners (not licensees) who meet the following criteria:

1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed the final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definitions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MD 20705

EXHIBIT F
DECLARATION REGARDING DEPOSIT

NAME OF OWNER (S) Holden's Foundation Seeds LLC	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 8350 Minnegan Road, Waterman, IL 60556 USA	TEMPORARY OR EXPERIMENTAL DESIGNATION VARIETY NAME LH381
NAME OF OWNER REPRESENTATIVE (S) Timothy R. Kain	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 8350 Minnegan Road, Waterman, IL 60556 USA	FOR OFFICIAL USE ONLY PVPO NUMBER 200600035

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.

Timothy R. Kain
Signature

3/17/2008
Date

14